
800x 1600mm

Polished



CERAMIC © LUXURY




Eternal Beauty of Marble

Marble, revered for centuries, stands as an epitome of timeless elegance and opulence. Each slab tells a unique geological tale, with veining that weaves its own narrative of natural artistry. Beyond its aesthetic allure, marble boasts exceptional durability, making it a cherished choice for flooring, countertops, and intricate architectural details. Its cool, smooth surface brings a touch of luxury to any space, creating an ambiance of refined grandeur. With a legacy that spans millennia, marble continues to be a symbol of enduring beauty and a

Luxury Refinement Sophistication





Crafted By Nature, Perfected By Design.MarbleThe



Polished Glamour Galore

Experience the perfect blend of nature and human creativity with our polished surface tile patterns. Each tile pays homage to nature's splendour, skillfully converted into an elegant painting. The polished surface highlights the complex designs and radiates light, bringing vitality to your home. Walk on floors that echo the outdoors and walls that reveal old landscape secrets. Our polished surface tiles blend nature's beauty with luxury, creating

Polished



Strength & Sophistication







Lowest Maintenance Effort



Hygienic Surface



Resistant To Bending



Water Resistant



Impact Resistant



Frost Resistant







Approach Area



Residential



Industry





Hospital

Gymnasium





Airport

Hall & Corridor





Hotel & Restaurant

Mall & Super Market





School & College

Commercial Building

Mastercrafted Excellence

Experience the pinnacle of craftsmanship with Blackberry Tiles pvt.ltd. tiles. Each tile is a testament to our unwavering commitment to quality, precision, and innovation. From the selection of premium raw materials to the final finishing touches, we leave no stone




























 ϵ

Advanced Technology

Delivering high-quality products that exceed industry requirements requires a thorough understanding of the technical nuances involved in making tiles. Manufacturers can create tiles that last in a variety of architectural settings if they have a firm grasp of tile materials, production methods, and quality assurance procedures.





High Quality



The term "GVT PGVT" refers to ceramic tile that has been artistically adorned. They are commonly utilised as ornamentation in private residences, hotels, and other buildings. Depending on the material, they can serve both functional and aesthetic purposes.

INDEX

Choose from the most exhaustive range....



Finish Polished

Size 800x1600mm







AL ASLAUG WHITE AL PULPIS GREY PRIME AL AUSTIN NATURAL AL NOBU WHITE













AL BUTTERCOTCH BEIGÄL BUTTERCOTCH DYNAAL CHARCOAL DOVE AL CHARCOAL GREY AL CORDELIA CREAM



AL JASPRIT WHITE







AL HARBOR BROWN AL HARBOR SMOKE AL LEMINUM BROWN AL LEMINUM SILVER





AL RAIN FOREST GREEN AL ZARA WHITE





AMARE BEIGE



AMARE GREY



ANTICA BEIGE




ANTICA PLATINUM



ARMANI GREY



ALKARA IVORY



ARTICO NATURAL BELLISSIMA GREY







BELLA ASH







BELLADONA OLIVE BELLADONA MINK BOTTICINO PERLATO



BOTTOCINO CLASSIC




BRESCIA







BRESCIA FAME





MAGICA MIST



KORNEV WHITE

MARLIN WHITE




ERVIN CREMA



GEONARDO GREY


ERVIN GREY

























STATUARIO VENEZIA STATUARIO BRCWO STATUARIO CALAMAN STATUARIO DANIM STATUARIO BLANCO












STATUARIO FIORI STATUARIO FLORENTINE













STATUARIO FRANCISSTATUARIO MAVERICK STATUARIO ONE STATUARIO ORCHID GREY STATUARIO PESTO BROWN















TERRONI CREMA



TUSCANY CREMA



ULT ADVANCED STATUARIO



ULT CASTELLON FROST ULT ELEMENTAL



ULT LANA GREY ALASKA GREY



ULT LANA BEIGE



ULT OSURC ONYX



ULT RIVER STONE NATURAL



ULT STATUARIO FREDOM



ULT STATUARIO FREDOM GOLDEN



VENERDI LIGHT









YELLOW LAGOON



Finish Polished -Book Match

800x1600mm

Size



ITALICO BEIGE BOOK MATCH



ALAYA WHITE BOOK MATCH



FIONA PALE BOOK MATCH



HARLEY SILVER BOOK MATCH



RACHEL BROWN ВООК МАТСН



Finish Polished -End Match





800x1600mm END MATCH FANTACIA END MATCH AL CREMA DOUTING GREY



END MATCH ONYX AURUM GREY



END MATCH BRUNO MULTI



END MATCH ADELLA WHITE



END MATCH ALPINO GREY



END MATCH AUROM OLIVE



END MATCH BRUSEL BROWN



END MATCH CALCUTTA VENETTA



END MATCH DIOLA GREY



END MATCH CRYSTO IVORY



END MATCH CRYSTO GREY



END MATCH FRAG TEAL



END MATCH FRAG VIOLA



END MATCH GLASTER BEIGE



END MATCH GLASTER BIANCO



END MATCH IVAR CREMA



END MATCH MONTALCINO BIANCO



END MATCH NAZZO WHITE




END MATCH OMICRON



END MATCH SOFITA GREY



END MATCH SOFITA BROWN STATON MULTY



END MATCH STATON GREY




END MATCH TREENG BROWN STATUARIO PRAGUE




END MATCH





Polished





AL ASLAUG WHITE 800x1600mm | Polished

AL ASLAUG WHITE



800x1600mm | Polished



AL PULPIS GREY PRIME








R-5



AL AUSTIN NATURAL

800x1600mm | Polished

AL AUSTIN NATURAL



800x1600mm | Polished







800x1600mm | Polished

AL NOBU WHITE





800x1600mm | Polished







AL BUTTERCOTCH BEIGE



800x1600mm | Polished



AL BUTTERCOTCH DYNA










AL CHARCOAL DOVE



800x1600mm | Polished



AL CHARCOAL GREY











AL CORDELIA CREAM



800x1600mm | Polished



AL JASPRIT WHITE



800x1600mm | Polished







AL HARBOR SMOKE 800x1600mm | Polished

AL HARBOR SMOKE



800x1600mm | Polished



AL HARBOR BROWN







R-3





800x1600mm | Polished

AL LEMINUM BROWN





800x1600mm | Polished



R-3





800x1600mm | Polished

AL LEMINUM SILVER





800x1600mm | Polished








AL RAIN FOREST GREEN 800x1600mm | Polished

AL RAIN FOREST GREEN







AL ZARA WHITE







R-4

AMARE BEIGE







AMARE GREY



800x1600mm | Polished





ANTICA BEIGE



800x1600mm | Polished



ANTICA PLATINUM











ARMANI GREY

ARMANI GREY



800x1600mm | Polished



ALKARA IVORY









ARTICO NATURAL



800x1600mm | Polished

BELLISSIMA GREY







R-3

BELLA BIANCO








BELLA ASH









BELLADONA OLIVE







BELLADONA MINK









BOTTICINO PERLATO







BOTTOCINO CLASSIC







R-3



BRESCIA



800x1600mm | Polished



BRESCIA BEIGE











BRESCIA FAME



800x1600mm | Polished



BRESCIA GREY









ELENA BIANCO











800x1600mm | Polished





CAMILA SKY



800x1600mm | Polished



CARION GREY








CARISMA MIST







CARISMA ROSE










CARISMA STEEL



800x1600mm | Polished




CARRARA SILICON










CLASSIC ONYX GREY







CICCIA LIGHT








CORTEX TRAVERTINO







CREMA MARFIL



800x1600mm | Polished





DOLCE GREY







DOLCE CREMA









CRSM 128



800x1600mm | Polished



DORMAK CREMA









DYNA MASSIVE



800x1600mm | Polished



ELEGANT GREY









ELEGANT SILVER 800x1600mm | Polished

ELEGANT SILVER







ELENTA BROWN











EMPERADOR GRIGIO 800x1600mm | Polished

EMPERADOR GRIGIO



800x1600mm | Polished



MANIA BIANCO









ERVIN CREMA



800x1600mm | Polished



ERVIN GREY










GEONARDO GREY




800x1600mm | Polished



GEONARDO NATURAL





800x1600mm | Polished



HENKEL COFFEE



800x1600mm | Polished



HOLLIS GREY



800x1600mm | Polished





JERICO SILVER GRANDE



800x1600mm | Polished



KASMIR CARRARA



800x1600mm | Polished





KORNEV CREMA



800x1600mm | Polished



KORNEV WHITE







LAPITA BONE



800x1600mm | Polished



LAPITA GREY









LAVAZZA



800x1600mm | Polished



MAGICA MIST










MARLIN WHITE







MARLIN BEIGE



800x1600mm | Polished







MARSHAL GREY

800x1600mm | Polished

MARSHAL GREY



800x1600mm | Polished



AL CREMA STONE










MONRESA GREY



800x1600mm | Polished




MOONSTONE BEIGE









NAPELS CRYSTAL







NAPELS IVORY



800x1600mm | Polished

 R_{-}



ONTANO BROWN



800x1600mm | Polished



ONYX AGATHA YELLOW










ONYX AMBER



800x1600mm | Polished



ONYX BIANCO












ONYX HEILO

















PICASO OLIVE 800x1600mm | Polished

PICASO OLIVE



800x1600mm | Polished



PALARRO LINEN



800x1600mm | Polished





PIGONA FUDGE



800x1600mm | Polished



PIGONA PLAMA










PRESIA ICE













RAVIOLI GREY



800x1600mm | Polished



RAVIOLI NERO









RELAM WHITE



800x1600mm | Polished



RIBOLLITA GREY










RIBOLTA SAFARI



800x1600mm | Polished



RICHLIN BEIGE










ROMEO PEARL



800x1600mm | Polished



ROYAL BEIGE







SEASIDE CREMA



800x1600mm | Polished



SEASIDE GREY LIGHT







SPAZIA GREY



800x1600mm | Polished



SPAZIA BROWN










SPARKLINE BROWN



800x1600mm | Polished

STATUARIO ABSOLUTE





800x1600mm | Polished



STATUARIO AFILON GOLD








STATUARIO AFILON GREY





800x1600mm | Polished





STATUARIO VENEZIA







STATUARIO BIANCO SOFT





800x1600mm | Polished








STATUARIO ANGEL 800x1600mm | Polished

STATUARIO ANGEL



800x1600mm | Polished



STATUARIO ANAIS



800x1600mm | Polished



STATUARIO BRCWO



800x1600mm | Polished



STATUARIO CALAMAN






800x1600mm | Polished






STATUARIO DANIM



800x1600mm | Polished


STATUARIO BLANCO





800x1600mm | Polished





STATUARIO ELEGANT







STATUARIO EXCURSY







STATUARIO SUPER







STATUARIO FIORI











STATUARIO FLORENTINE







STATUARIO FRANCIS




800x1600mm | Polished






STATUARIO MAVERICK BROWN



800x1600mm | Polished



STATUARIO ONE



800x1600mm | Polished



STATUARIO ORCHID GREY



800x1600mm | Polished



STATUARIO PESTO





800x1600mm | Polished





TORONTO NATURAL



800x1600mm | Polished



TORONTO GREY









TERRONI CREMA



800x1600mm | Polished



TRAVERTINE DARK












ULT ADVANCED STATUARIO



800x1600mm | Polished



TUSCANY CREMA







ULT CASTELLON FROST



800x1600mm | Polished







800x1600mm | Polished







ULT LANA GREY

ULT LANA GREY







ULT LANA BEIGE









ULT RIVER STONE NATURAL

ULT RIVER STONE NATURAL



800x1600mm | Polished



ULT OSURC ONYX







ULT STATUARIO FREDOM








ULT STATUARIO FREDOM GOLDEN





800x1600mm | Polished





VENERDI LIGHT
















WALTER GREY



800x1600mm | Polished




YELLOW LAGOON









ITALICO BEIGE BOOK MATCH

800x1600mm | Polished

ITALICO BEIGE BOOK MATCH





800x1600mm | POLISHED - BOOK MATCH








ALAYA WHITE BOOK MATCH A+B



800x1600mm | POLISHED - BOOK MATCH A+B





FIONA PALE BOOK MATCH A+B






800x1600mm | POLISHED - BOOK MATCH A+B



R-2





HARLEY SILVER BOOK MATCH A+B



800x1600mm | POLISHED - BOOK MATCH A+B



R-2







800x1600mm | POLISHED - BOOK MATCH A+B



R-2



END MATCH FANTACIA CREMA



800x1600mm | POLISHED - END MATCH



END MATCH AL DOUTING GREY












END MATCH ONYX AURUM GREY




800x1600mm | POLISHED - END MATCH














END MATCH ADELLA WHITE



800x1600mm | POLISHED - END MATCH



END MATCH ALPINO GREY




800x1600mm | POLISHED - END MATCH






END MATCH AUROM OLIVE



800x1600mm | POLISHED - END MATCH



END MATCH BRUSEL BROWN









END MATCH CALCUTTA VENETTA



800x1600mm | POLISHED - END MATCH



END MATCH DIOLA GREY







END MATCH CRYSTO IVORY



800x1600mm | POLISHED - END MATCH

















END MATCH FRAG TEAL



800x1600mm | POLISHED - END MATCH



END MATCH FRAG VIOLA









END MATCH GLASTER BEIGE



800x1600mm | POLISHED - END MATCH

K-

END MATCH GLASTER BIANCO










END MATCH IVAR CREMA



800x1600mm | POLISHED - END MATCH



END MATCH MONTALCINO BIANCO









END MATCH NAZZO WHITE



800x1600mm | POLISHED - END MATCH



END MATCH OMICRON









END MATCH SOFITA GREY



800x1600mm | POLISHED - END MATCH








800x1600mm | POLISHED - END MATCH





END MATCH STATON MULTY




800x1600mm | POLISHED - END MATCH















END MATCH TREENG BROWN




800x1600mm | POLISHED - END MATCH



END MATCH STATUARIO PRAGUE





800x1600mm | POLISHED - END MATCH





TECHNICAL SPECIFICATIONS



Sr. No.	CHARACTERISTIC	STANDARD AS PER ISO 13006/EN 14411 GROUP BIA	MEAN VALUE OF BLACKBERRY POLISHED GVT	MEAN VALUE OF BLACKBERRY GVT	TEST METHOD
REGUL	ATORY PROPERTIES				
	Deviation in Length & Width	± 0.50 %	± 0.10 %	± 0.10 %	ISO-10545-2
	Deviation in Thickness	± 5.00 %	± 4.00 %	± 4.00 %	ISO-10545-2
	Straightness of Sides	± 0.50 %	± 0.10 %	± 0.10 %	ISO-10545-2
	Rectangularity	± 0.50 %	± 0.10 %	± 0.10 %	ISO-10545-2
	Surface Flatness	±0.50 %	± 0.20 %	± 0.20 %	ISO-10545-2
	Color Difference	Unaltered	No Change	No Change	ISO-10545-16
	Glossiness	As Per Mfg.	> 90 %	Min 4%	Glossometer 60°
	Surface Quality	Min. 95% Tiles should be free from visible defect	Conforms	Conforms	ISO-10545-2
STRUC	CTURAL PROPERTIES				
	Water Absorption %	≤0.50 %	E≤0.05 %	E≤0.05 %	ISO-10545-3
	Apparent Density	> 2.0 gm / cc	>2.10 gm/ cc	>2.10 gm/ cc	DIN 51082
MASSI	VE MECHANICAL PROPERTIES				
	Flexural Modulus of Rupture	Min. 35N/ mm²	Min. 40N/ mm²	Min. 40N/ mm²	ISO-10545-4
	Flexural Breaking Strength in N	Min. 1300 N	> 2000 N	> 2000 N	ISO-10545-4
	Impact Resistance	As Per Mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFA	CE MECHANICAL PROPERTIES				
	Surface Abrasion Resistance	As Per Mfg.	Min. Class 3	Min. Class 3	ISO-10545-7
	Moh's Hardness	As Per Mfg.	Min. 4	Min. 4	EN 101
THERM	O HYDROMETRIC PROPERTIES	'			
	Frost Resistance	No Damage	No Damage	No Damage	ISO-10545-12
	Thermal Shock Resistance	No Damage	No Damage	No Damage	ISO-10545-9
	Moisture Expansion	Nil	Nil	Nil	ISO-10545-10
	Thermal Expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
	Crazing Resistance	As Per Mfg.	Min. 10 CycleI	Min. 10 CycleI	ISO-10545-11
CHEMI	CAL PROPERTIES	'		'	
	Resistance of House Hold Chem.	No Damage	No Damage*	No Damage*	ISO-10545-13
	Resistance to Staining	Resistant	No Damage	No Damage	ISO-10545-14
SAFETY	PROPERTIES	·			
	Slip Resistance	As Per Mfg.	> 0.40	> 0.40	ISO-10545-17
	Fire Resistance	As Per Mfg.	Fire Proof	Fire Proof	N. A
	Lead & Cadmium given off by Glazed Tiles	As Per Mfg.	Dose Not Yield Pb & Cd	Dose Not Yield Pb & Cd	ISO-10545-15

^{*}Glossiness 90% with Nani Technology in PGVT. *Except Hydrofluoric Acid it's compound

PACKING DETAILS

PRODUCT	NOMINAL SIZE	NO. OF TILES PER BOX	COVERAGE AREA / BOX
BLACKBERRY	800 x 1600 mm	2 Pcs.	2.56 Sq. Mtr.

NOTES: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right of change the specification without prior notice. Sometime variation in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fming instructions in the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed

GENERAL NOTE: Any Complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

MAINTENANCE GUIDELINES FOR GVT

STAINS (Created by)	SOLVENTS (turpentine, Acetone, Trichloroethy-Lene ETC.)	SODIUM HYPOCHLORITE (NaOCI)	ACIDS (Hydro-Chloric Acid)	ALKALI (Sodium Hydroxide Potassium Hydroxide)
Beverages Beer				
Juices		~		
Cola				~
Coffee				~
Tea	~	~		
Ink Ball / Felt Pen	_			
Liquid Ink	_		~	
Marker Ink	~			
Miscellaneous				
Cement				
Tar	~			
Calcar			~	
Edible Oil	~			
Cigarette			~	
Glue	_			~
Ice Cream				~
Paints	_		_	
Resins				
Rust			~	
Blood				~

TILES FIXING INSTRUCTIONS

1. Plaster the surface of the floor where the tiles will be laid with smooth finish and complete the plastering and curing at least two weeks prior to laying. 2. Before fixing BLACKBERRY tiles, lay them out in the desired pattern and make sure that they give an acceptable blend of colour. Please note that certain amount of shade variation is inherent in the manufacture of fully Vitrified ceramic tiles. THE COMPANY WILL BEAR NO LIABILITY AFTER THE TILES ARE FIXED. 3. The company bears no responsibility towards the tiles exposed to any outside process like transfers, printing, firing etc. 4. For fixing BLACKBERRY tiles we recommend the use of tile fixing adhesives for best results. Also follow the fixing instructions provided along with the adhesives. 5. For fixing BLACKBERRY tiles on the floor, using sand and cement, follow the instructions given below: (a) Use cement and sand mortar in the ratio of 1:4. Add some water to create a consistent paste. (b) Once the mixing has completed do not add any further water and use the same within one hour. (c) Apply a 20-30 mm, layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and full bedding. Press gently for even adherence at the back of the tile. DO NOT USE AN IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILE. 6. For fixing BLACKBERRY tiles on Dado, we recommend the use of tile fixing adhesive with proper troweling method for 100 per cent coverage behind the tiles and for peerless bonding. Please follow the manufacturer's instructions for the same. We do not recommend the use of sand and cement for fixing on Dado. 7. Make and lay out the tiles from the center of the area to be laid so that cut tiles, if any, will be on the outer edges towards the walls. 8. The work size which we try to maintain for better technical performance is 600mm x 600mm x 1200mm on average. It is advisable to maintain a gap of 1 mm to 2 mm between every two tiles to allow for possible expansion as per BIS/EN tolerance norms. 9. Complete the laying process by pressing the cut BLACKBERRY tiles firmly into place along the walls/floors. 10. Allow 3-4 days for bed curing. After this period fill the joints with grouts. Usage of grout sealant is recommended for keeping the grout free of dust. 11. Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be cleaned with a mild acid (However, Hydrofluoric acid and its derivatives should not be used). 12. Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

Kindly look for the arrow (→) on the back of the tile and follow the laying pattern as shown in Pic-1:



Nothing in these instructions is a Substitute for Good Workmanship and Supervision

Size-able Showcase



The intricacies of size and design affect the whole outlook and we understand your concern about the size specifications quite well. Also, the design that's uniform and long-lasting has a greater impact on your investment. Choose Blackberry Tiles and you need not worry about anything. Just let us know what you need

1200 x 2400mm	GVT
800 x 2400mm(15mm)*	GVT
1200 x 1800mm*	GVT
800 x 1600mm	GVT
260 x 1600mm	WOODEN GVT
600 x 1200mm	GVT
195 x 1200mm	WOODEN GVT
600 x 600mm	GVT
600 x 900mm(16mm)*	OUTDOOR GVT
600 x 600mm(16mm)*	OUTDOOR GVT
300 x 600mm	CERAMIC WALL TILES
300 x 450mm	CERAMIC WALL TILES
300 x 300mm	CERAMIC WALL/FLOOR TILES





CERAMIC © LUXURY

BLACKBERRY TILES PVT. LTD.

Admin Office

Jetpar Pipli Road, Sapar, Morbi-363642 Gujrat - INDIA

Customer Care No.: +91 90999 86724

